



RECEIVED

APR 17 2023

Certification
Drinking Water Services

2022 ANNUAL SUMMARY REPORT CROSS CONNECTION & BACKFLOW PREVENTION

Please fill out the Annual Summary Report accurately and completely with **data from 2022**. Keep a completed copy for your records.

PLEASE ANSWER ALL QUESTIONS. INCOMPLETE REPORTS WILL DELAY PROCESSING.

Return completed reports by **March 31, 2023**

Email: cross.connection@dhsosha.state.or.us, Fax: 971-673-0694

Mail: DWS-Cross Connection; 800 NE Oregon Street, Suite 640; Portland, OR 97293

1. **Water System Name:** SKYLANDS WATER COMPANY PWS ID# 41-00462

2. **What size is your water system?** Small (1-299 connections) Large (300+ connections)

3. **ASR Contact Information:** *(if there are questions about the ASR who should we contact?)*

Name: Richard DeChaine

Email: rbdechaine@msn.com

Phone #: 503.636.0424

4. **Customer Base:** Who does your water system serve? Count each service connection only once, include connections with and without a backflow assembly.

a. Do you have any residential connections in your water system? Yes No How many: 104

b. Do you have any high hazard connections in your water system? Yes No How many: _____

c. Do you have any other types of connections not listed above? Yes No How many: _____

Comments: _____

5. An **enabling authority** is required for all community water systems. The enabling authority allows for a water system to discontinue service for various reasons. A sample enabling authority is available for small water systems on our website: www.healthoregon.org/crossconnection. If you have not submitted an enabling authority to the State, please complete one and submit it as soon as possible.

6. **Does your water system have an enabling authority?** Yes No (see note above)

7. **Was your enabling authority revised within the last year?**

Yes, email a copy to the Cross Connection program cross.connection@state.or.us No

13. Do you have any **Double Check Backflow Prevention Assemblies** (DC, DCVA, & DCDA) installed in your water system? Yes No (if you answered yes, answer the questions below)

- | | |
|------------------------------------------------------------|----|
| a. How many assemblies are installed in your water system? | 51 |
| b. How many assemblies were tested? | 42 |
| c. How many assemblies passed their annual test? | 42 |
| d. How many assemblies failed their annual test? | 0 |
| e. Comments: | |


14. Do you have any **Pressure Vacuum Breaker Assemblies** (PVB, PVBA, & SVBA) installed in your water system?

Yes No (if you answered yes, answer the questions below)

- | | |
|------------------------------------------------------------|---|
| a. How many assemblies are installed in your water system? | 6 |
| b. How many assemblies were tested? | 3 |
| c. How many assemblies passed their annual test? | 3 |
| d. How many assemblies failed their annual test? | 1 |
| e. Comments: | |

I certify the information provided is true to the best of my knowledge. Providing false information may result in penalties to the individual and to the water system.

Printed Name: Richard DeChaine Title: Manager

Signature:  Date: 4-13-2023

Return completed reports by **March 31, 2022**

Email: cross.connection@dhsosha.state.or.us, **Fax:** 971-673-0694 or

Mail: DWS-Cross Connection; 800 NE Oregon Street, Suite 640; Portland, OR 97293

Questions? cross.connection@dhsosha.state.or.us 971-673-0321

💧 Drinking Water Updates 💧

October 2018 was the last printed Pipeline! If you would like to continue receiving the Pipeline newsletter, in addition to other important notifications sign up for Drinking Water Email Alerts! Go to www.healthoregon.org/dws and click on the 'Subscribe to Email Alerts' button!

To get Cross Connection notifications, go to www.healthoregon.org/crossconnection and click on the 'Subscribe to Email Alerts'

BACKFLOW ASSEMBLY TEST SUMMARY

Skylands

For Period between 01-Jan-2022 and 31-Dec-2022

Type of Assembly	Assemblies In Service	Tests Completed	Failures	Cleaned Only	Other Repairs	Replaced Identical Assembly	Replaced Different Assembly	New Installations
AVB	3							
DCVA	1	42						
PVBA	6	3	1					
RPBA	3							
Total	64	45	1					
<hr/>								
ALL ASSEMBLIES	64	45	1					