

KELLER Molly A

From: Molly Keller via Smartsheet <user@smartsheet.com>
Sent: Thursday, March 12, 2020 1:36 PM
To: Molly Keller
Subject: JOSEPH, CITY OF, 41-00414

Think twice before clicking on links or opening attachments. This email came from outside our organization and might not be safe. If you are not expecting an attachment, contact the sender before opening it.



JOSEPH, CITY OF, 41-00414

2019 Annual Summary Report (ASR)

Row 2

Created 03/12/20 8:56 AM

Entered

Data Online

Water System Name JOSEPH, CITY OF, 41-00414

ASR Contact Levi Tickner

Email Address pworkscoj@gmail.com

Contact Phone Number 541-398-1804

Residential Connections 561

High Hazard Connections 0

Other Connections 68

Enabling Authority Yes

Revised Enabling Authority	No
CCCS Name - Large system only	Levi Tickner
CCCS Information - Large system only	Water System Employee, or
CCCS Cert # - Large system only	5538
CCCS Phone - Large system only	541-398-1804
CCCS Email - Large system only	pworkscoj@gmail.com
Written BFP program plan? - Large system only	Yes
BFPP - list of high hazards - Large system only	Yes
BFPP - Procedure - Large system only	Yes
BFPP Notify Water User - Large system only	Yes
BFPP - Type of Protection - Large system only	Yes
BFPP - Corrective Action - Large system only	Yes

BFPP - Current records - Large system only Yes

BFPP - Public Education - Large system only No

Do you have RP? No

RP - How Many 0

RP - Tested

RP - Passed

RP - Failed

RP % Tested

RP - Comments

Do you have any DC? Yes

DC - How Many 47

DC - Tested 43

DC - Passed 43

DC - Failed 1

DC - % Tested 91%

DC - Comments

Do you have any PVBs? No

PVB - How Many 0

PVB - Tested

PVB - Passed

PVB - Failed

PVB - % Tested

**PVB -
Comments**

I certify



[View in Smartsheet](#)

Sent using [Smartsheet](#) - the leading work execution platform that empowers teams and organizations to move their ideas to impact - fast.

Sent by molly.a.keller@state.or.us

© 2020 Smartsheet Inc. | [Contact](#) | [Privacy Policy](#) | [User Agreement](#) | [Report Abuse/Spam](#)