

KELLER Molly A

From: Molly Keller via Smartsheet <user@smartsheet.com>
Sent: Monday, February 24, 2020 10:31 AM
To: Molly Keller
Subject: HILAND WC - BOULDER CREEK, 41-00722

Think twice before clicking on links or opening attachments. This email came from outside our organization and might not be safe. If you are not expecting an attachment, contact the sender before opening it.



HILAND WC - BOULDER CREEK, 41-00722

2019 Annual Summary Report (ASR)

Row 24

Primary

Entered ☒

Data Online ☒

Water System Name HILAND WC - BOULDER CREEK, 41-00722

ASR Contact Matthew Olson

Email Address matt@hilandwater.com

Contact Phone Number 503-438-0471

Residential Connections 131

High Hazard Connections 0

Other Connections 0

Enabling Authority Yes

**Revised
Enabling
Authority**

No

**CCCS Name -
Large system
only**

na

**CCCS
Information -
Large system
only**

**CCCS Cert # -
Large system
only**

**CCCS Phone -
Large system
only**

**CCCS Email -
Large system
only**

**Written BFP
program plan?
- Large system
only**

**BFPP - list of
high hazards -
Large system
only**

**BFPP -
Procedure -
Large system
only**

**BFPP Notify
Water User -
Large system
only**

**BFPP - Type of
Protection -
Large system
only**

**BFPP -
Corrective
Action - Large
system only**

**BFPP - Current
records - Large
system only**

**BFPP - Public
Education -
Large system
only**

**Do you have
RP?** Yes

RP - How Many 1

RP - Tested 1

RP - Passed 1

RP - Failed 0

% Tested 100%

**RP -
Comments**

**Do you have
any DC?** No

DC - How Many 0

DC - Tested

DC - Passed

DC - Failed

**DC -
Comments**

**Do you have
any PVBs?** No

**PVB - How
Many** 0

PVB - Tested

PVB - Passed

PVB - Failed

**PVB -
Comments**

I certify



[View in Smartsheet](#)

Sent using [Smartsheet](#) - the leading work execution platform that empowers teams and organizations to move their ideas to impact - fast.

Sent by molly.a.keller@state.or.us

© 2020 Smartsheet Inc. | [Contact](#) | [Privacy Policy](#) | [User Agreement](#) | [Report Abuse/Spam](#)