Public Health Division

Drinking Water Services



2024 ANNUAL SUMMARY REPORT CROSS CONNECTION & BACKFLOW PREVENTION

Please fill out the Annual Summary Report accurately and completely with data from 2024. Keep a completed copy for your records. PLEASE ANSWER ALL QUESTIONS. INCOMPLETE REPORTS WILL DELAY PROCESSING. Submit completed reports by March 31, 2025 Email: cross.connection@odhsoha.oregon.gov, Fax: 971-673-0694 Mail: DWS-Cross Connection; 800 NE Oregon Street, Suite 640; Portland, OR 97293 1. Water System Name: Sunsetiake R.V Park PWS ID#41-00933 2. What size is your water system? Small (1-299 connections) Large (300+ connections) 3. ASR Contact Information: (if there are questions about the ASR who should we contact?) Name: 12Kesa Kamey
Email: RNW 4920@gmail.com Phone #: 541-420-5578 4. Customer Base: Who does your water system serve? Count each service connection only once, include connections with and without a backflow assembly. a. Do you have any residential connections in your water system? Yes No How many: 100 b. Do you have any high hazard connections in your water system? Yes No How many: c. Do you have any other types of connections not listed above? Yes No How many: Comments: 5. Does your water system have an enabling authority? X Yes No (see note above) 6. Was your enabling authority revised within the last year? Yes, email a copy to cross.connection@odhsoha.oregon.gov No

800 NE Oregon Street suite 640, Portland, OR, 97232 | Voice: 971-673-0321 | Fax: 971-673-0694 All relay calls accepted | www.healthoregon.org/dws

QUESTIONS 8 - 10 are for LARGE SYSTEMS ONLY (Large = 300+ Service Connections) and are specific to the required <u>written backflow prevention program plan</u> outlined in <u>OAR 333-061-0070(9)(b)</u>			
		#:	
8.	Does your WS have a current written backflow prevention program plan?	Yes No	
9.	Does the <u>backflow prevention plan</u> include the following: a. A list of premises where health hazard cross connections exist, including, but not limited to, those listed in Table 42 (High Hazard Table).	~ ☐ Yes ☐ No	
	 b. Procedure for continually evaluating the degree of hazard posed by a water users premises. 	☐ Yes ☐ No	
	c. Procedure for notifying the water user if a non-health hazard or health hazard identified, and for informing the water user of any corrective action required.	is Yes No	
	d. The type of protection required to prevent backflow into the public water supply commensurate with the degree of hazard that exists on the water user's premises.	y, ☐ Yes ☐ No	
	e. A description of what corrective actions will be taken if a water user fails to comply with the water suppliers cross connection control requirements.	☐ Yes ☐No	
	f. Current records of approved backflow prevention assemblies installed, inspections completed, test results, and verification of current backflow assembly tester certification.	Yes No	
	g. A public education program about cross connection control.	☐ Yes ☐ No	
10. Do you have any Reduced Pressure Backflow Prevention Assemblies (RP, RPE RPDA) installed in your water system? ☐Yes ☒No (if you answered yes, answer the questions below)			
	a. How many assemblies are installed in your water system?		
	b. How many assemblies were tested?		
	c. How many assemblies passed their annual test?		
	d. How many assemblies failed their annual test?		
Cc	omments:		

11. Do you have any Double Check Backflow Prevention Assemblies	(DC, DCVA, & DCDA)		
installed in your water system? ☐ Yes ☐ No (if you answered yes, answered)	r the questions below)		
a. How many assemblies are installed in your water system?	100		
b. How many assemblies were tested?	<u>all</u>		
c. How many assemblies passed their annual test?	a11		
d. How many assemblies failed their annual test?	NONE		
e. Comments:			
12. Do you have any Pressure Vacuum Breaker Assemblies (PVB, PVBA, & SVBA) installed			
in your water system?			
Yes No (if you answered yes, answer the questions below)			
a. How many assemblies are installed in your water system?			
b. How many assemblies were tested?			
c. How many assemblies passed their annual test?			
d. How many assemblies failed their annual test?			
e. Comments:			
I certify the information provided is true to the best of my known information may result in penalties to the individual and to the way.	ater system. Responsible		
Printed Name: <u>Tevesa Ramey</u> Signature: <u>Lewsa Ramey</u>	Title:confact.		
Signature: <u>Jewa Ramy</u> Date: 3-21-25			

Return completed reports by March 31, 2025.

Email: cross.connection@odhsoha.oregon.gov, Fax: 971-673-0694 or

Mail: DWS-Cross Connection; 800 NE Oregon Street, Suite 640; Portland, OR 97293

Questions? cross.connection@odhsoha.oregon.gov or 971-673-0321

To get Cross Connection notifications, go to www.healthoregon.org/crossconnection and click on the 'Sign Up for Cross Connection News'

Enabling Authority

Fligoling Administry
Water System Name: Sunset kake RV Park
PWS ID# 41- 00933 Revised Date: 3-13-25
Purpose The purpose of this ordinance is to protect the health of the people served by this water system by preventing contaminants from flowing backwards into the water supply. To accomplish this, these rules in compliance with Oregon Administrative Rules (OARs) 333-061-0070 through 333-061-0074.
Requirements Actual or potential cross connections are prohibited. If a potential exists for a cross connection the water System must be protected by an appropriate backflow prevention device or assembly.
Any high hazards, as specified in the OARs will be given the highest priority, and protected with an approved air gap or reduced pressure backflow assembly.
Enforcement The water system has the right to refuse or terminate water service to any customer who does not: Install a backflow device or assembly, when an actual or potential cross connection exists. Test the assembly at least annually and complete necessary repairs
The water system reserves the right to require a backflow device at the customer's side of the water me if access is not allowed to determine if a backflow device or assembly is necessary.
The water system will allow a reasonable time to achieve compliance with our rules, but should a backfloincident occur, the water system has the right to terminate service immediately and restore it only after compliance.
Additional $\hat{\lambda}$ A list of all high hazard connections and how they are protected from a cross connection is attached to the enabling authority.
This enabling authority is approved and adopted and will remain in effect as of this date until such time a revised or eliminated.
Printed Name: Ken w Hick Title: Owner/partner Signature: Date: 3-13-25
Signature: Date: 5-73-35
Printed Name: Title:
Signature: Date:
Revised 2024 .