

KELLER Molly A

From: Molly Keller via Smartsheet <automation@smartsheet.com>
Sent: Friday, July 10, 2020 7:46 AM
To: Molly Keller
Subject: 2019 ASR Report

Think twice before clicking on links or opening attachments. This email came from outside our organization and might not be safe. If you are not expecting an attachment, contact the sender before opening it.



[Log In](#)



[2019 Annual Summary Report \(ASR\)](#)

Changes since 7/10/20 7:43 AM

1 row changed

1 row added or updated (shown in yellow)

Row 2

Created	07/09/20 10:48 AM
----------------	-------------------

Entered	<input checked="" type="checkbox"/>
----------------	-------------------------------------

Data Online	<input checked="" type="checkbox"/>
--------------------	-------------------------------------

Water System Name	HAWKS POINT, 41-01465
--------------------------	-----------------------

ASR Contact	Kimberly Wick
--------------------	---------------

Email Address	kimberly@deltaesi.com
----------------------	-----------------------

Contact Phone Number	503-313-3110
-----------------------------	--------------

Residential Connections	38
--------------------------------	----

High Hazard Connections	0
--------------------------------	---

Other Connections	0
--------------------------	---

Total Connections	38
Enabling Authority	Yes
Revised Enabling Authority	No
CCCS Name - Large system only	na
CCCS Information - Large system only	
CCCS Cert # - Large system only	
CCCS Phone - Large system only	
CCCS Email - Large system only	
Written BFP program plan? - Large system only	
BFPP - list of high hazards - Large system only	
BFPP - Procedure - Large system only	
BFPP Notify Water User - Large system only	
BFPP - Type of Protection - Large system only	

**BFPP -
Corrective
Action - Large
system only**

**BFPP - Current
records - Large
system only**

**BFPP - Public
Education -
Large system
only**

**Do you have
RP?** Yes

RP - How Many 1

RP - Tested 1

RP - Passed 1

RP - Failed 0

RP % Tested 100%

**RP -
Comments**

**Do you have
any DC?** Yes

DC - How Many 36

DC - Tested 31

DC - Passed 31

DC - Failed 0

DC - % Tested 86%

**DC -
Comments**

**Do you have
any PVBs?** Yes

**PVB - How
Many** 2


PVB - Tested 2

PVB - Passed 2

PVB - Failed 0

PVB - % Tested 100%

**PVB -
Comments**

I certify 

Changes made by molly.a.keller@state.or.us

You are receiving this email because you are subscribed to a workflow "Email Molly for Data Entry" (ID# 7020798322993028) on sheet [2019 Annual Summary Report \(ASR\)](#)

Your notifications include changes made by you. [Exclude your changes from all notifications](#)

Don't want to receive this notification? [Unsubscribe](#)

Please do not reply to this mail. For support or questions, please contact us at www.smartsheet.com/gethelp

© 2020 Smartsheet Inc. | [Contact](#) | [Privacy Policy](#) | [User Agreement](#) [Report Abuse/Spam](#)