

KELLER Molly A

From: Molly Keller via Smartsheet <user@smartsheet.com>
Sent: Thursday, March 19, 2020 3:36 PM
To: Molly Keller
Subject: SKYRIDGE HOA, 41-06047

Think twice before clicking on links or opening attachments. This email came from outside our organization and might not be safe. If you are not expecting an attachment, contact the sender before opening it.



SKYRIDGE HOA, 41-06047

2019 Annual Summary Report (ASR)

Row 46

Created 03/13/20 2:14 PM

Entered ☒

Data Online ☒

Water System Name SKYRIDGE HOA, 41-06047

ASR Contact Brandi Prunty

Email Address owsbrandi@gmail.com

Contact Phone Number 541-342-1718

Residential Connections 22

High Hazard Connections 0

Other Connections 0

Enabling Authority Yes

**Revised
Enabling
Authority**

No

**CCCS Name -
Large system
only**

na

**CCCS
Information -
Large system
only**

**CCCS Cert # -
Large system
only**

**CCCS Phone -
Large system
only**

**CCCS Email -
Large system
only**

**Written BFP
program plan?
- Large system
only**

**BFPP - list of
high hazards -
Large system
only**

**BFPP -
Procedure -
Large system
only**

**BFPP Notify
Water User -
Large system
only**

**BFPP - Type of
Protection -
Large system
only**

**BFPP -
Corrective
Action - Large
system only**

**BFPP - Current
records - Large
system only**

**BFPP - Public
Education -
Large system
only**

**Do you have
RP?** No

RP - How Many 0

RP - Tested

RP - Passed

RP - Failed

RP % Tested

**RP -
Comments**

**Do you have
any DC?** Yes

DC - How Many 22

DC - Tested 22

DC - Passed 22

DC - Failed 0

DC - % Tested 100%

**DC -
Comments**

**Do you have
any PVBs?** No

**PVB - How
Many** 0

PVB - Tested

PVB - Passed

PVB - Failed

PVB - % Tested

**PVB -
Comments**

I certify



[View in Smartsheet](#)

Sent using [Smartsheet](#) - the leading work execution platform that empowers teams and organizations to move their ideas to impact - fast.

Sent by molly.a.keller@state.or.us

© 2020 Smartsheet Inc. | [Contact](#) | [Privacy Policy](#) | [User Agreement](#) | [Report Abuse/Spam](#)