

**State of Oregon Drinking Water Program  
Monthly Disinfection Report for Ground Water Systems**

System Name Eosgate vet clinic

PWS ID# 41



Month/Year 8 / 2024 Entry Point: Client bathroom

Required Minimum Residual 0.7 mg/L

Date	Time	Source(s) in use	Lowest free chlorine residual at entry point to distribution system (mg/L)	Notes	
1	5pm	Client bathroom sink	1.2		
2		↓			
3					
4					
5	5pm			1.2	
6		↓	1.0		
7			1.2		
8			1.0		
9			1.0	Chlorinator maintenance	
10		↓			
11					
12	5pm			1.2	
13					
14		↓			
15					
16	5pm			1.2	
17					
18		↓			
19	5pm			1.2	
20					
21					
22	5pm	↓	1.0		
23					
24					
25					
26		↓	1.0		
27	5pm				
28					
29				1.2	tank refilled - mix 5gpp Cl <sup>-</sup> / 5gal water
30	5pm	↓			
31					

Was the chlorine residual ever less than the required minimum residual of \_\_\_\_\_ mg/L?  Yes  No  
 If yes, what was the longest time period until the required level was restored? \_\_\_\_\_ hours - If > 4 hours, Drinking Water Program to be notified by end of next business day.

**GWS Serving 3,300 or Fewer**  
 If yes, did you monitor every four hours until the residual returned to \_\_\_\_\_ mg/L as required?  Yes  No  
 Attach those results and submit them with this form.

**GWS Serving More Than 3,300**  
 Did continuous monitoring equipment fail at any time this reporting month?  Yes  No  
 If yes, were grab samples collected every four hours until the continuous monitoring equipment was returned to service as required?  Yes  No  
 Attach grab sample results and submit them with this form.

Date continuous monitoring equipment failed: / /  
 Date it was returned to service: / /

Printed Name: Kathlyn Callaway Title: practice manager  
 Signature: [Signature] Phone #: 541 752-3786  
 Date: 9/10/2024

Operator Certification #.  
 OR  
 Small Groundwater System

Return by 10<sup>th</sup> of following month by either email [dwp.dmce@odhsosha.oregon.gov](mailto:dwp.dmce@odhsosha.oregon.gov); fax 971-673-0458; or mail to Drinking Water Services, PO Box 14350, Portland, OR 97293-0350.