## OHA - Drinking Water Services -Turbidity Monitoring Report Form

County: Jackson
Month/Year: Oct-25

DATE: 11/4/2025

CERT #: 8480

**Conventional or Direct Filtration Facility 30** WTP: EP-В **Medford Water Commission** ID#: 41 System Name: 00513 12 AM 4 AM 8 AM NOON 4 PM 8 PM Highest Reading of the Day 1 [NTU] Day [NTU] [NTU] [NTU] [NTU] [NTU] [NTU] OFF 1 OFF OFF OFF OFF OFF OFF OFF OFF OFF 2 OFF OFF **OFF** OFF OFF OFF OFF OFF OFF OFF 3 **OFF** OFF OFF OFF OFF OFF OFF OFF 4 5 OFF OFF OFF OFF OFF OFF **OFF** OFF OFF OFF OFF OFF OFF 6 OFF OFF 7 OFF OFF OFF OFF OFF OFF OFF OFF 8 OFF 9 OFF OFF OFF OFF OFF OFF **OFF** 10 OFF OFF 11 OFF OFF OFF OFF OFF OFF **OFF** OFF OFF OFF OFF OFF OFF 12 OFF OFF OFF OFF 13 OFF 14 OFF OFF OFF OFF OFF OFF OFF OFF 15 OFF OFF OFF OFF OFF OFF OFF 16 OFF OFF OFF OFF 17 OFF OFF OFF OFF 18 OFF OFF OFF OFF OFF OFF OFF OFF OFF 19 OFF OFF OFF OFF OFF OFF 20 OFF 21 OFF 22 OFF 23 OFF OFF OFF OFF OFF 24 OFF OFF OFF OFF OFF 25 OFF 26 OFF 27 OFF OFF OFF OFF OFF **OFF** OFF OFF OFF 28 OFF OFF OFF OFF OFF 29 OFF OFF OFF OFF OFF OFF OFF 30 OFF OFF OFF **OFF OFF** OFF OFF OFF **OFF** OFF **OFF** 31 OFF OFF Monthly Summary (Answer Yes or No) Conventional or Direct Filtration CT's met everyday? All Cl2 residual at entry point 95% of 4-hour turbidity readings ≤ 0.3 NTU? Yes (see back) ≥ 0.2 mg/l? All 4-hour turbidity readings ≤ 1 NTU? Yes Yes Yes All turbidity readings < IFE2 triggers Yes Notes: PRINTED NAME: Matt Severioh

<sup>1</sup> Including continuous NTU data, if applicable, for optimization recording purposes. Compliance values in columns 12 AM through 8 PM may not correspond to continuous readings' maximum.
<sup>2</sup> IFE = Individ. Filter Effl. (333-061-0040(1)(d)(B&C))

SIGNATURE: 72

PHONE #: 541-774-2743

## OHA - Drinking Water Services -Turbidity Monitoring Report Form Conventional or Direct Filtration Facility 35

County: Jackson

Month/Year: Oct-25

System Name:		ord Water Comm		ID#: 41	00513		WTP: EP-	Oct-25 B	
Day	12 AM	4 AM	8 AM [NTU]	NOON [NTU]	4 PM [NTU]	8 PM [NTU]	Highest Reading of the Day <sup>1</sup> [NTU		
	[NTU]	[NTU]		OFF	OFF	OFF	OFF		
1	OFF	OFF	OFF	1		OFF	0.08		
2	OFF	OFF	OFF	0.06	OFF		OFF		
3	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
4	OFF	OFF	OFF	OFF	OFF	OFF			
5	OFF	OFF	OFF	0.08	OFF	OFF	30.0		
6	OFF	OFF	0.07	0.06	OFF	OFF	0.07		
7	OFF	OFF	0.08	0.08	0.07	0.07	0.08		
8	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
9	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
10	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
11	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
12	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
13	OFF	OFF	OFF	OFF	OFF	OFF	OFF	:	
14	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
15	OFF	OFF	OFF	OFF	OFF	OFF	OF		
16	OFF	OFF	OFF	OFF	OFF	OFF	OF	-	
17	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
18	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
19	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
20	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
21	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
22	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
23	OFF	OFF	OFF	OFF	OFF	OFF	OFI		
24	OFF	OFF	OFF	OFF	OFF	OFF	OFI		
25	OFF	OFF	OFF	OFF	OFF	OFF	OF	=	
26	OFF	OFF	OFF	OFF	OFF	OFF	OF	=	
27	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
28	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
29	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
30	OFF	OFF	OFF	OFF	OFF	OFF	OF	=	
31	OFF	OFF	OFF	OFF	OFF	OFF	OFF		
		ional or Direct F					mary (Answer Yes or N	0)	
95% of 4-hour turbidity readings ≤ 0.3 NTU?  All 4-hour turbidity readings ≤ 1 NTU?  Yes  All turbidity readings < IFE² triggers  Yes					CT's met everyday? (see back)  All Ci2 residual at en ≥ 0.2 mg/l?  Yes  Yes		at entry point ng/l?		
otes:	in turbidity readil	igo - ir c irigger	3	163	DOINTED NAM	AE: Matt Savarla	h		
				PRINTED NAME: Matt Severioh  SIGNATURE: Matt Severioh  DATE			DATE: 11/4/20		
				PHONE #: 541-774-2743			CERT#: 8480		

Including continuous NTU data, if applicable, for optimization recording purposes. Compliance values in columns 12 AM through 8 PM may not correspond to continuous readings' maximum. <sup>2</sup> IFE = Individ. Filter Effl. (333-061-0040(1)(d)(B&C))

## OHA - Drinking Water Services -Turbidity Monitoring Report Form Conventional or Direct Filtration Facility 35

County: Jackson

Month/Year: Oct-25

WTP - FP - B

System Name:	Medfo	ord Water Comm	ission	ID#: 41	00513		WTP: EP-	В
Day	Filter 1 Max Turbidity	Filter 1 Filter Loading Rate	Filter 2 Max Turbidity	Filter 2 Filter Loading Rate	Filter 3 Max Turbidity	Filter 3 Filter Loading Rate	Filter 4 Max Turbidity	Filter 4 Filter Loading Rate
1	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2	0.04	6.39	0.07	6.21	OFF	OFF	0.10	6.29
3	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
4	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
5	OFF	OFF	OFF	OFF	0.06	6.22	0.06	6.18
6	OFF	OFF	0.03	6.24	OFF	OFF	0.06	6.27
7	0.07	5.75	0.02	7.41	0.03	7.41	0.03	7.32
8	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
9	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
10	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
11	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
12	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
13	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
14	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
15	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
16	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
17	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
19	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
20	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
21	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
22	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
23	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
24	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
25	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
26	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
27	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
28	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
29	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
30	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
31	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
- 31		ional or Direct F		017	0.1		nary (Answer Yes or N	
95% of 4-hour turbidity readings ≤ 0.3 NTU?  All 4-hour turbidity readings ≤ 1 NTU?  Yes  All turbidity readings < IFE² triggers  Yes					CT's met everyday? (see back)  Yes  All Cl2 residual at ≥ 0.2 mg		at entry point ng/l?	
otes:	and the state of the state	-2- " - m330"			PRINTED NAM	E: Matt Severio	h	
					PRINTED NAME: Matt Severion  SIGNATURE: Matt Severion  DATE: 11			
					PHONE #: 541			CERT #: 8480
					TONE #. 341			

<sup>&</sup>lt;sup>1</sup> Including continuous NTU data, if applicable, for optimization recording purposes. Compliance values in columns 12 AM through 8 PM may not correspond to continuous readings' maximum.
<sup>2</sup> IFE = Individ. Filter Effi. (333-061-0040(1)(d)(B&C))

Ol- System Name:		/ater Program -	- Surface Wate ID#: 41	r Quality Data 00513	Form Facility  Month/Year:	40 Oct-25	WTP - : Disinfection Giardia Log Inactive:	B 0.5
Date / Time	Minimum Cl <sub>2</sub> Residual at 1st User ( <b>C</b> ) <sup>3</sup>	Contact Time (T)	Actual CT	Temp	рН	Required CT	CT Met? <sup>3</sup>	Peak Hourly Demand Flow
	[ppm or mg/L]	[minutes]	CXT	[, C]		formula	Yes / No	[GPM]
1	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2	0.45	188	84.6	12.8	7.11	15.4	YES	13194
3	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
4	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
5	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
6	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
7	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
8	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
9	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
10	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
11	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
12	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
13	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
14	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
15	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
16	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
17	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
19	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
20	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
21	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
22	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
23	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
24	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
25	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
26	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
27	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
28	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
29	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
30	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
31	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF

 $^3$  If Cl<sub>2</sub> at entry point < 0.2 mg/l or CT not met, notify DWS within 24 hours.

Revised December 2018

OF	IA - Drinking W	ater Program -	WTP -:	В				
System Name:	Medford Wate	r Commission	ID#: 41	00513	Month/Year:	Oct-25	Disinfection Giardia Log Inactive:	0.5
Date / Time	Minimum Cl <sub>2</sub> Residual at 1st User ( <b>C</b> ) <sup>3</sup>	Contact Time (T)	Actual CT	Temp	pН	Required CT	CT Met? 3	Peak Hourly Demand Flow
	[ppm or mg/L]	[minutes]	CXT	[° C]		formula	Yes / No	[GPM]
11	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
2	0.58	108	62.6	11.1	7.35	19.4	YES	13194
3	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
4	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
5	0.47	128	60.2	11.7	7.13	17.1	YES	11111
6	0.8	121	96.8	11.1	7.14	18.4	YES	11806
7	0.92	79	72.7	10.6	7.06	18.8	YES	18056
8	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
9	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
10	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
11	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
12	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
13	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
14	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
15	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
16	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
17	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
18	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
19	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
20	OFF	OFF	OFF	OFF	OFF	OFF	,OFF	OFF
21	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
22	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
23	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
24	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
25	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
26	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
27	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
28	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
29	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF
30	OFF	OFF	OFF	OFF	OFF .	OFF	OFF	OFF
31	OFF	OFF	OFF	OFF	OFF	OFF	OFF	OFF

3 If Cl<sub>2</sub> at entry point < 0.2 mg/l or CT not met, notify DWS within 24 hours.

Revised December 2018